AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Currently amended) A nonwoven fabric characterized in that the nenwoven fabric is comprising a thermoplastic synthetic fiber nonwoven fabric having a fabric weight of 7 to 50 g/m², an average yarn diameter of 7 to 40 µm, a partial heat contact bonding ratio of 5 to 30% and a content of a delustering agent of 0.5% by weight or less, or a nonwoven fabric laminate the major component of which is the thermoplastic synthetic fiber nonwoven fabric, and that wherein the nonwoven fabric has a maximum opening diameter of 200 to 2,000 µm, and shows a transparency of 50% or more, a powder leakage ratio of 10% by weight or less and a hydrophilicity of less than 10 sec.
- 2. (Currently amended) The nonwoven fabric according to claim 1, wherein the nonwoven fabric is characterized in that the nonwoven fabric is a thermoplastic synthetic fiber nonwoven fabric having a fabric weight of 12 to 30 g/m², an average yarn diameter of 12 to 30 μm, a partial heat contact bonding ratio of 5 to 30% and a content of a delustering agent of 0.2% by weight or less, or a nonwoven fabric laminate the major component of which is the thermoplastic synthetic fiber nonwoven fabric, and that wherein the nonwoven fabric has a maximum opening diameter of 400 to 1,650 μm, and shows a transparency of 60% or more, a powder leakage ratio of 5% by weight or less and a hydrophilicity of less than 10 sec.
- 3. (Original) The nonwoven fabric according to claim 1, wherein the nonwoven fabric is a laminate of a thermoplastic synthetic fiber nonwoven fabric having

an average yarn diameter of 7 to 15 µm and a thermoplastic synthetic fiber nonwoven fabric having an average yarn diameter of 15 to 40 µm.

- 4. (Original) The nonwoven fabric according to any one of claims 1 to 3, wherein the thermoplastic synthetic fiber nonwoven fabric is a spun-bonded nonwoven fabric composed of a polyolefin filament yarn.
- 5. (Original) The nonwoven fabric according to any one of claims 1 to 3, wherein the thermoplastic synthetic fiber nonwoven fabric is a spun-bonded nonwoven fabric composed of a polyester filament yarn.
- 6. (Original) The nonwoven fabric according to claim 5, wherein the thermoplastic synthetic fiber nonwoven fabric is a spun-bonded nonwoven fabric composed of an aliphatic polyester filament yarn.
- 7. (Original) The nonwoven fabric according to claim 6, wherein the aliphatic polyester filament yarn is a filament yarn of a polyester selected from a poly(D-lactic acid), a poly(L-lactic acid), a copolymer of D-lactic acid and L-lactic acid, a copolymer of D-lactic acid and a hydroxycarboxylic acid, a copolymer of L-lactic acid and a hydroxycarboxylic acid, a copolymer of D-lactic acid and a hydroxycarboxylic acid, or a blend of these polymers.
- 8. (Currently amended) The nonwoven fabric according to any one of claims 1 to [[7]]3, wherein a synthetic resin or a fibrous material of 2 to 15 g/m² having a melting point lower than that of the thermoplastic synthetic fiber by 30 to 200°C is laminated to the thermoplastic synthetic fiber nonwoven fabric.

- 9. (Currently amended) A tea bag prepared by filling a tea material, to be extracted, into a bag composed of the nonwoven fabric according to any one of claims claim 1 [[to 8]], and sealing the tea material.
- 10. (Original) The tea bag according to claim 9, wherein the bag is tetrahedral-shaped.
- 11. (Currently amended) The tea bag according to claim 9 or 10, wherein the tea material to be extracted is black tea, green tea or oolong tea.